

Temperature Probes

Use with thermocouple thermometers and multimeters with Type K and Type J functions

Bead Wire Type K and J Temperature Probes

- TP 870 Bead wire; 39" (1m) cable; subminiature Type K connector; (-40 to 482° F/-40 to 250° C);
- 872502Bead Wire; 39" (1m) cable; subminiature Type J connector; Range (-328 to 392° F/-200 to 200° C)
- TP 873Bead wire; 36" (.91m) cable; subminiature Type K with banana connector; Range (-22 to 572° F/-30 to 300° C)
- TP 875High temperature bead wire probe; 39" (1m) cable; subminiature Type K with banana connector; Range (-58 to 1000° F/-50 to 538° C)



TP870



872502



TP873



TP875

Type K and J Temperature Probes

Penetration

- TP 882 8" (203mm) High Temperature Penetration Probe; 72" (183cm) cable; probe diameter 0.13" (3.3mm); Type K, Range (-50 to 1000° F/-46 to 538° C)



TP882

General Purpose


- 871515 4" (100mm) General Purpose Probe; 39" (1m) cable; probe diameter .13" (3.3mm); Type K, Range (-32 to 1292° F/-200 to 700° C)
- 881605 6" (152mm) General Purpose Probe; 39" (1m) cable; probe diameter .13" (3.3mm); Type K, Range (-328 to 1292° F/-200 to 700° C)
- 801515 4" (150mm) General Purpose Probe; 39" (1m) cable; diameter .13" (3.3mm); Type J, Range (-328 to 842° F/-200 to 450° C)

Immersion


- 881603 6" (150mm) Immersion Probe; 39" (1m) cable; diameter 0.13" (3.3mm); Type K, Range (-58 to 1292° F/-50 to 700° C)

Surface

- 881602 6" (150mm) Surface Probe; 39" (1m) cable; diameter 0.32" (8.13mm); Type K, Range (-58 to 1472° F/-50 to 800° C)
- 861616 Magnetized Type K Surface Probe; 6' teflon cable, 1" x 0.75" surface area; Range -4° F to 482° F (-20° C to 250° C); Includes replacement temperature element



871515, 881605, and 801515 general purpose probes



881602 surface probe



881603 immersion probe



861616 surface probe

airconcern

more info for Extech 881603

Phone: 01235 838 555

Email: cs@airconcern.co.uk

Web: www.airconcern.co.uk

Air Concern Ltd, Building 173 Curie Avenue Harvell Didcot, Oxfordshire