



ExStik[®] Flat Surface Electrodes

 Rugged, flat surface electrode provides "On-the-Spot" measurements with an ExStik[®] meter
Ideal for direct contact applications such as food, paper, cement and wet surface

Features:

- Flat surface electrode allows "On-the-Spot" measurements whether the sample is liquid, semi-solid or solid
- Chlorine and pH electrodes have built-in temperature sensor
- Chlorine electrode does not require a reference solution and also does not have a shelf life
- Flat surface design provides a rigid structure that is difficult to damage, but easy to clean

ExStik[®] pH, Chlorine, and ORP Electrodes are to be used with ExStik[®] meters only



Ordering Information:

- PH105.....pH ExStik[®] Electrode Module
 CL205.....Chlorine ExStik[®] Electrode Module
 RE305.....ORP ExStik[®] Electrode Module
 PH115.....Refillable pH ExStik[®] Electrode Module
 PH113.....Reference Refilling Solution Kit for PH115
 CL200.....ExStik[™] Chlorine Meter
 RE300.....ExStik[™] ORP Meter
 CL203.....Reagent tablets (10pk - 100 tests)
 EX006.....Weighted base with 5 solution cups
 EX007.....Spare sample solution cups (24pk)
 PH103.....Tripack buffers (6ea. of 4, 7, 10pH & 2 Rinsing solutions)



airconcern

more info for Extech PH113

Phone: 01235 838 555

Email: cs@airconcern.co.uk

Web: www.airconcern.co.uk

Air Concern Ltd, Building 173 Curie Avenue Harvell Didcot, Oxfordshire